

10" - 80W AlNiCo Guitar Loudspeaker

P 10 Q - 8 Ω

Code ZJ05110

GENERAL CHARACTERISTICS

Nominal Overall Diameter	259	mm
Nominal Voice Coil Diameter	32	mm
Magnet Weight	300	g
Flux Density.....	1.05	T
Weight.....	1.66	Kg

THIELE-SMALL PARAMETERS


Voice Coil DC Resistance	R_E	5.57	Ω
Resonance Frequency	f_s	89.9	Hz
Mechanical Q Factor.....	Q_{MS}	9.96	
Electrical Q Factor.....	Q_{ES}	1.69	
Total Q Factor	Q_{TS}	1.44	
Mechanical Moving Mass	M_{MS}	19.7	g
Mechanical Compliance	C_{MS}	159	μm/N
Force Factor	$B \times l$	6.07	Wb/m
Equivalent Acoustic Volume.....	V_{AS}	24.4	lt.
Maximum Linear Displacement	X_{MAX}	+/-1.0	mm
Reference Efficiency	η_0	1.01	%
Diaphragm Area	S_D	330.6	cm ²
Losses Electrical Resistance.....	R_{ES}	32.9	Ω
Voice Coil Inductance @ 1kHz	L_E	0.52	mH

CONSTRUCTIVE CHARACTERISTICS

Magnet.....	AlNiCo
Voice Coil Winding.....	Copper
Voice Coil Former.....	Nomex
Cone	Paper
Surround.....	Paper - Integrated
Dust Dome	Solid Paper
Basket	Pressed Sheet Steel

ELECTRICAL CHARACTERISTICS

Nominal Impedance.....	8	Ω
Musical Power	80	W
Rated Power*	40	W
Sensitivity @ 1 W, 1 m	93.8	dB



*rated power measured with 2 hours test with pink noise signal, 6 dB crest factor, loudspeaker mounted on enclosure
Thiele-Small parameters measured with LASER system

Frequency Response on IEC Baffle (DIN 45575) @ 1 W, 1 m - Free Air Impedance

